

CT40 AND CT40 HC MOBILE COMPUTER

Accessories Guide



Honeywell

TABLE OF CONTENTS

- 1 [Chargers](#)
- 3 [Mobile](#)
- 4 [Power Supplies](#)
[Scan Handles](#)
[Soft Goods](#)
- 5 [Accessories](#)
[AC Line Cords](#)



Honeywell Partner
Beratung-Verkauf-Service
Integer Solutions GmbH
Industriestraße 4, 61200 Wölfersheim
Tel.: +49-6036-90557-0
www.integer-solutions.com

CHARGERS



CT40-CB-CNV-0

Charge Base, Standard

For recharging up to four computers. Kit includes dock and power supply. Power cord must be ordered separately.



CT40-CB-CNV-1

Charge Base

For recharging up to four computers. Kit includes dock, power supply, and U.S. power cord.



CT40-CB-CNV-2

Charge Base

For recharging up to four computers. Kit includes dock, power supply, and EU power cord.



CT40-CB-CNV-3

Charge Base

For recharging up to four computers. Kit includes dock, power supply, and UK power cord.



CT40-NB-CNV-0

Net Base, Standard

For Ethernet communications and recharging up to four computers. Kit includes dock and power supply. Power cord must be ordered separately.



CT40-NB-CNV-1

Net Base

For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and U.S. power cable.



CT40-NB-CNV-2

Net Base

For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and EU power cable.



CT40-NB-CNV-3

Net Base

For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and UK power cable.



CT40-CB-PB-0

Charge Base (use with TPU Boot)

For recharging up to four computers. Kit includes dock and power supply. Excludes power cord. Compatible with CT40 with TPU boot only.



CT40-NB-PB-0

Net Base (use with TPU Boot)

For Ethernet communications and recharging up to four computers. Kit includes dock and power supply. Excludes power cord. Compatible with CT40 with TPU boot only.



CT40-CB-PB-1

Charge Base (use with TPU Boot)

For recharging up to four computers. Kit includes dock, power supply, and U.S. power cord. Compatible with CT40 with TPU boot only.



CT40-NB-PB-1

Net Base (use with TPU Boot)

For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and U.S. power cable. Compatible with CT40 with TPU boot only.



CT40-CB-PB-2

Charge Base (use with TPU Boot)

For recharging up to four computers. Kit includes dock, power supply, and EU power cord. Compatible with CT40 with TPU boot only.



CT40-NB-PB-2

Net Base (use with TPU Boot)

For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and EU power cable. Compatible with CT40 with TPU boot only.



CT40-CB-PB-3

Charge Base (use with TPU Boot)

For recharging up to four computers. Kit includes dock, power supply, and UK power cord. Compatible with CT40 with TPU boot only.

CHARGERS, Continued



CT40-NB-PB-3

Net Base (use with TPU Boot)

For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and UK power cable. Compatible with CT40 with TPU boot only.



CT40-QBC-0

QBC, Standard


For recharging up to four batteries. Kit includes dock and power supply. Power cord must be ordered separately.



CT40-QBC-1

QBC

For recharging up to four batteries. Kit includes dock, power supply, and U.S. power cord.



CT40-QBC-2

QBC

For recharging up to four batteries. Kit includes dock, power supply, and EU power cord.



CT40-QBC-3

QBC

For recharging up to four batteries. Kit includes dock, power supply, and UK power cord.



CT40-HB-0

Home Base, Standard

Kit includes dock and power supply. Power cord must be ordered separately. For recharging computer and battery. Supports USB client via USB Type B connector.



CT40-HB-1

Home Base

Kit includes dock, power supply, and U.S. power cord. For recharging computer and battery. Supports USB client via USB Type B connector.



CT40-HB-2

Home Base

Kit includes dock, power supply, and EU power cord. For recharging computer and battery. Supports USB client via USB Type B connector.



CT40-HB-3

Home Base

Kit includes dock, power supply, and UK power cord. For recharging computer and battery. Supports USB client via USB Type B connector.



CT40-EB-0

Ethernet Home Base, Standard

Kit includes dock and power supply. Power cord must be ordered separately. For recharging computer, battery, and Ethernet communications. Supports USB client via USB Type B connector.



CT40-EB-1

Ethernet Home Base

Kit includes dock, power supply, and U.S. power cord. For recharging computer, battery, and Ethernet communications. Supports USB client via USB Type B connector.



CT40-EB-2

Ethernet Home Base

Kit includes dock, power supply, and EU power cord. For recharging computer, battery, and Ethernet communications. Supports USB client via USB Type B connector.



CT40-EB-3

Kit includes dock, power supply, and UK power cord. For recharging computer, battery, and Ethernet communications. Supports USB client via USB Type B connector.

CHARGERS, Continued



CT40-DB-0

Display Dock, Standard

For connection with an external display, and extends I/O for HDMI, Ethernet communications, and three USB ports. Kit includes display base and power supply. Must order power cord separately.



CT40-DB-1

Display Dock

For connection with an external display, and extends I/O for HDMI, Ethernet communications, and three USB ports. Kit includes display base, power supply, and U.S. power cord.



CT40-DB-2

Display Dock

For connection with an external display, and extends I/O for HDMI, Ethernet communications, and three USB ports. Kit includes display base, power supply, and EU power cord.



CT40-DB-3

Display Dock

For connection with an external display, and extends I/O for HDMI, Ethernet communications, and three USB ports. Kit includes display base, power supply, and UK power cord.

MOBILE



CT40-SN-USB-0

Snap-On Adapter with Tethered USB Cable to Support USB Client

Provides tethered USB client connectivity. Compatible with hand strap, battery pack, and scan handle. Charges mobile computer battery in four hours or less. Kit includes snap-on adapter. Optional 50130570-001 (5 V/2 A) USB power wall adapter sold separately.



CT40-VD-0

Vehicle Dock

Vehicle dock with hard-wired 3-pin power cable.



CT40-CIGR-0

Cigarette Snap-On Adapter

Cigarette lighter adapter with USB SKT.



50138169-001

Cigarette Lighter Power Adapter Cable

Cigarette lighter power adapter, 1.8 mm (0.07 in).



805-638-001

RAM Mount

Required for vehicle dock or vehicle holder. Consists of one 12.07 cm (4.75 in) adjustable pivot arm with two 3.8 cm (1.5 in) stainless steel balls and assembly hardware. Requires customer-supplied hardware to secure mount to vehicle.



CT40-HDST-35MM

PTT Headset

Enterprise headset with PTT function, 3.5 mm (0.14 in), 1.8 m (5.9 ft) length.



CT40-CVT-25MM

Audio Cable

3.5 mm (0.14 in) plug to 2.5 mm socket adapter wire.

POWER SUPPLIES



318-055-011

Spare Battery Pack

CT40 Battery Pack, 4040 mAh, for use with CT40 configurations with plastic battery latch button (last two digits in part number begin with **0**: CT40-L*N-xxxx**0**x).



318-055-015

Spare Battery Pack

CT40 Battery Pack, 4040 mAh, for use with CT40 configurations with metal battery latch button (last two digits in part number begin with **A** or **B**: CT40-LON-xxxx**A**x or CT40-L1N-xxxx**B**x).



50121666-001

Desktop Power Supply

A 36 W power supply for use with Ethernet home base, charge-only home base, and quad battery charger. Requires country-specific line cord to be ordered separately.



50121667-001

Quad Base Power Supply

A 84 W power supply for use with four-bay charging base and four-bay net base. Requires country-specific line cord to be ordered separately.



50130570-001

Power Plug Adapter Kit

USB power adapter (5 V, 2 A) kit for snap-on adapter. Includes EU, UK, U.S., and IN plugs.

SCAN HANDLES



CT40-SH-DC

Scan Handle, Compatible with Charging Dock

Snaps easily on or off the mobile computer. Compatible with charging docks, hand strap, and snap-on adapter.



CT40-SH-PB

Scan Handle and TPU Boot

Kit, CT40 scan handle, and TPU boot, compatible with charge base CT40-CB-PB-0/1/2/3 and net base CT40-NB-PB-0/1/2/3.

SOFT GOODS



825-238-001

Holster

Holster suitable for use with CT40, CT50, and CT60.



CT40-PB-00

TPU Boot

CT40 TPU boot, compatible with charge base CT40-CB-PB-0/1/2/3 and net base CT40-NB-PB-0/1/2/3.



CT40-RB-00

Rubber Boot

Black rubber protective boot for CT40.



825-237-001

Pouch

Pouch suitable for use with CT40, CT50, and CT60.

ACCESSORIES



CT40-HS-3PK

Kit, Hand Strap (3/pk)

Kit of three replacement hand straps for CT40.



CT40-HS-HC

Health Care Hand Strap (3/pk)

Built with disinfectant-ready material. Can be cleaned by approved disinfectant agents.



CT40-SP-1PK

Screen Protector (1/pk)

One self-adhesive screen protector.



CT40-QL-00

Quad Lock Case

CT40 quad lock case to mount CT40 on Zebra RFD8500 RFID sled with quad lock.

856-065-004

Industrial-Grade Micro-SD Card*

Micro-SD card, 1 GB, AF1GUDI, RoHS

856-065-005

Industrial-Grade Micro-SD Card*

Micro-SD card, 2 GB, AF2GUDI, RoHS

856-065-006

Industrial-Grade Micro-SD Card*

Micro-SD card, 4 GB, AF4GUDI, RoHS

856-065-007

Industrial-Grade Micro-SD Card*

Micro-SD card, 8 GB, AF8GUDI, RoHS

* Micro-SD cards are required when databases are stored on the device. The database should be stored on the SD card.

AC LINE CORDS

50127245-001

Power Cord – India

Power cord, India, 1.5 m (4.9 ft)

50117501-001

Power Cord – Australia

Power cord, Australia, 2.5 m (8.2 ft)

50117503-001

Power Cord – CB

Power cord, Argentina, Isled CB

77900506E

Power Cord – U.S.

Power cord, U.S., IEC320-C13, 1.85 m (6.07 ft)

77900507E

Power Cord – UK

Power cord, UK, IEC320-C13, 2.5 m (8.2 ft)

77900508E

Power Cord – EU

Power cord, Europe, IEC320-C13, 2.5 m (8.2 ft)

19-19807

Power Cord – China

Cable, China cord set (CCC), 2.5 m (8.2 ft)

19-19726

Power Cord – U.S.

Cable, power cord/IEC, U.S., 2.5 m (8.2 ft)

Honeywell Partner
Beratung-Verkauf-Service
Integer Solutions GmbH
Industriestraße 4, 61200 Wölfersheim
Tel.: +49-6036-90557-0
www.integer-solutions.com

